

www.costvsvalue.com



Seattle, WA

This document contains copyrighted material and is not authorized for display on the Internet or for republication in any media for resale.



CONFIDENCE LEVEL: 95% +/-1.5%

PROJECT TYPE	SEATTLE				PACIFIC		2011 NATIONAL AVERAGES		
MIDRANGE	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
Attic Bedroom Remodel	\$57,561	\$41,954	72.9%	\$61,066	\$46,981	76.9%	\$50,148	\$36,346	72.5%
Backup Power Generator	16,473	8,061	48.9%	16,996	8,783	51.7%	14,760	7,009	47.5%
Basement Remodel	72,991	58,098	79.6%	76,393	58,337	76.4%	63,378	42,338	66.8%
Bathroom Addition	46,112	30,553	66.3%	48,237	29,747	61.7%	40,096	20,455	51.0%
Bathroom Remodel	18,893	13,057	69.1%	19,204	14,431	75.1%	16,552	10,293	62.2%
Deck Addition (wood)	12,331	9,857	79.9%	12,938	10,596	81.9%	10,350	7,259	70.1%
Deck Addition (composite)	16,728	12,206	73.0%	17,358	13,045	75.2%	15,579	9,780	62.8%
Entry Door Replacement (steel)	1,336	1,073	80.3%	1,473	1,252	85.0%	1,238	903	73.0%
Entry Door Replacement (fiberglass)	3,724	2,255	60.5%	3,959	2,696	68.1%	3,536	1,990	56.3%
Family Room Addition	92,946	69,616	74.9%	101,311	69,611	68.7%	83,118	50,004	60.2%
Garage Addition	64,933	42,012	64.7%	69,904	45,893	65.7%	57,824	33,089	57.2%
Garage Door Replacement	1,625	1,266	77.9%	1,732	1,531	88.4%	1,512	1,087	71.9%
Home Office Remodel	30,056	14,420	48.0%	31,239	15,777	50.5%	27,963	11,983	42.9%
Major Kitchen Remodel	62,502	48,398	77.4%	64,209	48,745	75.9%	57,494	37,785	65.7%
Master Suite Addition	119,980	86,184	71.8%	127,813	82,764	64.8%	106,196	62,874	59.2%
Minor Kitchen Remodel	20,633	18,436	89.4%	20,947	19,165	91.5%	19,588	14,120	72.1%
Roofing Replacement	23,394	16,486	70.5%	26,086	17,942	68.8%	21,204	12,257	57.8%
Siding Replacement (vinyl)	13,292	9,211	69.3%	14,161	10,080	71.2%	11,729	8,155	69.5%
Sunroom Addition	80,522	43,877	54.5%	85,177	43,184	50.7%	74,310	34,133	45.9%
Two-Story Addition	185,397	137,118	74.0%	191,902	135,006	70.4%	165,796	103,391	62.4%
Window Replacement (vinyl)	12,473	9,793	78.5%	13,504	10,995	81.4%	11,319	7,692	68.0%
Window Replacement (wood)	13,679	10,915	79.8%	14,432	11,469	79.5%	12,229	8,258	67.5%
UPSCALE	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
Bathroom Addition	\$86,036	\$55,568	64.6%	\$88,771	\$54,782	61.7%	\$76,209	\$40,061	52.6%
Bathroom Remodel	59,063	39,295	66.5%	59,317	38,582	65.0%	52,249	28,972	55.5%
Deck Addition (composite)	40,627	24,817	61.1%	41,910	27,432	65.5%	37,829	20,637	54.6%
Garage Addition	96,590	60,077	62.2%	102,506	63,486	61.9%	86,347	44,987	52.1%
Garage Door Replacement	3,042	2,724	89.6%	3,074	2,838	92.3%	2,994	2,129	71.1%
Grand Entrance	8,001	5,922	74.0%	8,665	6,146	70.9%	7,488	4,554	60.8%
Major Kitchen Remodel	118,477	81,298	68.6%	119,716	79,697	66.6%	110,938	63,731	57.4%
Master Suite Addition	248,598	151,243	60.8%	259,953	148,456	57.1%	227,178	114,822	50.5%
Roofing Replacement	41,133	27,117	65.9%	46,028	29,147	63.3%	37,481	20,435	54.5%
Siding Replacement (fiber-cement)	13,791	12,446	90.2%	13,971	11,905	85.2%	13,461	10,493	78.0%
Siding Replacement (foam-backed vinyl)	16,117	11,267	69.9%	17,317	12,356	71.4%	14,274	9,937	69.6%
Window Replacement (vinyl)	15,984	11,908	74.5%	17,157	13,737	80.1%	14,328	9,898	69.1%
Window Replacement (wood)	20,930	15,664	74.8%	21,910	16,695	76.2%	18,999	12,175	64.1%

CONFIDENCE LEVEL: 95% +/- 4.3



Project Descriptions

Midrange

ATTIC BEDROOM REMODEL

Convert unfinished attic space to a 15-by-15-foot bedroom and a 5-by-7-foot bathroom with shower. Include a 15-foot shed dormer, four new windows, and closet space under the eaves. Insulate and finish ceiling and walls. Carpet floor. Extend existing HVAC to new space; provide electrical wiring and lighting to code. Retain existing stairs, but add rail and baluster around stairwell.

BACKUP POWER GENERATOR

Install modular electrical backup system with capacity for providing 70 amps of emergency power in two 240-volt circuits and six 120-volt circuits. Assume existing propane gas supply. Include generator mounted on 2-by-4-four-foot concrete or composite pad, automatic transfer switch, load center, exterior disconnect, and grounding rod. Include 30 feet of conduit and electrical cable for generator connections; grounded cable for circuits; 5 feet of flexible fuel line for connection to existing rigid gas supply line; and automotive-type storage battery.

BASEMENT REMODEL

Finish the lower level of a house to create a 20-by-30-foot entertaining area with wet bar and a 5-by-8-foot full bathroom; construct 24 linear feet of finished partition to enclose mechanical area. Walls and ceilings are painted drywall throughout; exterior walls are insulated; painted trim throughout. Include five six-panel factory-painted hardboard doors with passage locksets. Electrical wiring to code.

Main room: Include 15 recessed ceiling light fixtures and three surface-mounted light fixtures, and a snap-together laminate flooring system.

Bathroom: Include standard white toilet, vanity with cultured marble top, resilient vinyl flooring, two-piece fiberglass shower unit, a light/fan combination, vanity light fixture, recessed medicine cabinet, towel and

paper-holder hardware.

Bar area: Include 10 linear feet of raised-panel oak cabinets with laminate countertops, stainless steel bar sink, single-lever bar faucet, undercounter refrigerator, and vinyl floor tile.

BATHROOM ADDITION

Add a full 6-by-8-foot bathroom over a crawlspace with poured concrete walls. Include cultured-marble vanity top with molded sink; standard chrome faucets; 30-by-60-inch white fiberglass tub/shower with ceramic tile surround; single-lever temperature and pressure-balanced faucet; white low-profile toilet; general and spot lighting; electrical wiring to code; mirrored medicine cabinet; linen storage closet or cabinet; vinyl wallpaper; painted trim; and ceramic tile floor.

BATHROOM REMODEL

Update an existing 5-by-7-foot bathroom. Replace all fixtures to include 30-by-60-inch porcelain-on-steel tub with 4-by-4-inch ceramic tile surround; new single-lever temperature and pressure-balanced shower control; standard white toilet; solid-surface vanity counter with integral sink; recessed medicine cabinet with light; ceramic tile floor; vinyl wallpaper.

DECK ADDITION (WOOD)

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install pressure-treated deck boards in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing system using pressure-treated wood posts, railings, and balusters.

DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressuretreated joists supported by 4x4 posts anchored to concrete piers. Install composite deck material in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing using a matching system made of the same composite as the decking material.

ENTRY DOOR REPLACEMENT (STEEL)

Remove existing 3-0/6-8 entry door and jambs and replace with new 20-gauge steel unit, including clear dual-pane half-glass panel, jambs, and aluminum threshold with composite stop. Door is factory finished with same color both sides. Exterior brick-mold and 2.5-inch interior colonial or ranch casings in poplar or equal prefinished to match door color. Replace existing lockset with new bored-lock in brass or antique-brass finish.

ENTRY DOOR REPLACEMENT (FIBERGLASS)

Remove existing 3-0/6-8 entry door and jambs and replace with new fiberglass unit with simulated wood grain, stained same color both sides; dual-pane, decorative half-glass panel with zinc caming; PVC-wrapped exterior trim in color to match existing trim; 2.5-inch interior colonial or ranch casings in hardwood stained to match door. Replace existing lockset with mortise lock with lever handle and integrated deadbolt in oil-rubbed bronze or satin-nickel finish.

FAMILY ROOM ADDITION

In a style appropriate to the existing house, add a 16-by-25-foot room on a crawlspace foundation with vinyl siding and fiberglass shingle roof. Include drywall interior with fiberglass insulation, pre-finished hardwood floor, and 180 square feet of glazing including windows, atrium-style exterior doors, and two operable skylights. Tie into existing HVAC. Add electrical system to code, including 12 recessed ceiling lights.

GARAGE ADDITION

Construct a 26-by-26-foot freestanding two-car garage, including footings and slab-on-grade foundation, 2x4 wood frame with



Project Descriptions continued

OSB structural sheathing, and gable truss roof at 6/12 pitch. Install 25-year asphalt shingle roofing with galvanized metal flashing; vinyl siding and trim. Install five double-hung 30-by-48-inch vinyl windows; one 3-0/6-8 exterior door with half-glass and lockset; and two composite 9-by-8-foot overhead doors with motorized openers. Include 100-amp breaker at main house panel and 50 linear feet of trench buried conduit to feed new electrical subpanel. Provide electrical wiring for openers; three-way switching for fluorescent ceiling fixtures over each bay; three-way switching for two exterior spotlights; outlets to code. Interior wall, floors, and ceilings remain unfinished.

GARAGE DOOR REPLACEMENT

Remove and dispose of existing 16-by-7-foot garage door and tracks. Install new 4-section garage door on new galvanized steel tracks; reuse existing motorized opener. New door is uninsulated, single-layer, embossed steel with two coats of baked-on paint, galvanized steel hinges, and nylon rollers; 10-year limited warranty.

HOME OFFICE REMODEL

Convert an existing 12-by-12-foot room to a home office. Install custom cabinets to include 20 linear feet of laminate desktop, computer workstation, and wall cabinet storage. Rewire room for computer, fax machine, and other electronic equipment, as well as cable and telephone lines. Include drywall interior, painted trim, and commercial-grade carpeting.

MAJOR KITCHEN REMODEL

Update an outmoded 200-square-foot kitchen with a functional layout of 30 linear feet of semi-custom wood cabinets, including a 3-by-5-foot island; laminate countertops; and standard double-tub stainless-steel sink with standard single-lever faucet. Include energy-efficient wall oven, cooktop, ventilation system, built-in microwave, dishwasher, garbage disposal, and custom lighting. Add new resilient flooring. Finish with painted walls, trim, and ceiling.

MASTER SUITE ADDITION

Add a 24-by-16-foot master bedroom suite over a crawlspace. Include walk-in closet/dressing area, whirlpool tub in ceramic tile platform, separate 3-by-4-foot ceramic tile shower, and double-bowl vanity with solid-surface countertop. Bedroom floor is carpet; bathroom floor is ceramic tile. Painted walls, ceiling, and trim. General and spot lighting, exhaust fan; electrical wiring to code.

MINOR KITCHEN REMODEL

In a functional but dated 200-square-foot kitchen with 30 linear feet of cabinetry and countertops, leave cabinet boxes in place but replace fronts with new raised-panel wood doors and drawers, including new hardware. Replace wall oven and cooktop with new energy-efficient models. Replace laminate countertops; install midpriced sink and faucet. Repaint trim, add wall covering, and remove and replace resilient flooring.

ROOFING REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of 235-pound fiberglass asphalt shingles (min. 25-year warranty) with new felt underlayment, galvanized drip edge, and mill-finish aluminum flashing. Assume a 5-square hip roof; custom flashing at two average-size skylights; and custom cap treatment at vented ridge.

SIDING REPLACEMENT

Replace 1,250 square feet of existing siding with new vinyl siding, including all trim.

SUNROOM ADDITION

Construct a 200-square-foot sunroom addition, including footings and slab-ongrade foundation. Post-and-beam framing exposed on interior side. Wall glazing: vinyl or aluminum clad awning and casement windows with low-E, laminated or tempered glazing and screens. Roof glazing: 10 large aluminum-clad venting skylights with screens. Provide ceiling fan; insulate all nonglass areas; provide movable shades for glass area. Quarry tile or equal on floor.

TWO-STORY ADDITION

Add a first-floor family room and a secondfloor bedroom with full bathroom in a 24-by-16-foot two-story wing over a crawlspace. Add new HVAC system to handle addition; electrical wiring to code.

Family room: Include a prefabricated gas fireplace; 11 3-by-5-foot double-hung insulated clad-wood windows; an atrium-style exterior door; carpeted floors; painted drywall on walls and ceiling; and painted trim.

Bathroom: 5 by 8 feet. Include a one-piece fiberglass tub/shower unit; standard white toilet; wood vanity with solid-surface countertop; resilient vinyl flooring; and mirrored medicine cabinet with built-in light strip; papered walls; and painted trim; exhaust fan. Bedroom: Include walk-in closet/dressing area; carpet; painted walls, ceiling, and trim; general and spot lighting.

WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated vinyl replacement windows. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated wood replacement windows, exterior clad in vinyl or aluminum. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

Upscale

BATHROOM ADDITION

Add a new 100-square-foot master bathroom to existing master bedroom over a crawlspace. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistat-controlled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding.



Project Descriptions continued

Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

BATHROOM REMODEL

Expand an existing 35-square-foot bathroom to 100 square feet within existing house footprint. Relocate all fixtures. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistatcontrolled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding. Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressuretreated joists supported by 4x4 posts anchored to concrete piers. At one corner, add a second, 10-foot-diameter six-sided platform one step down from the main deck. Include stairs on the smaller deck, assuming three steps to grade. Install composite deck material in a simple linear pattern. Trim the perimeter joists and wrap the 4x4 posts with composite materials to match the decking. Using the same decking material, include a built-in bench and planter along one 16-foot side. On the remaining perimeter, provide a railing system using composite material of contrasting or complementary colors that includes decorative balusters, post caps, and lighting. Railing and trim should provide for overall curb appeal to the outdoor living space by integrating the deck with the home's color and architecture, creating a custom look.

GARAGE ADDITION

For the same midrange two-car garage, add interior wall finish using moisture-resistant drywall on ceiling and three walls. At rear wall, install modular storage systems including wall panels, upper and lower storage cabinets with work surfaces, and required task lighting. Trim all windows and doors and provide base molding at perimeter; paint all trim, ceiling, and walls. Finish cement floor with color, slip-resistant epoxy sealer.

GARAGE DOOR REPLACEMENT

Remove and dispose of existing 16x7-foot garage door and tracks. Install new 4-section garage door on new heavy-duty galvanized steel tracks; reuse existing motorized opener. New door is high tensile strength steel with two coats of factory-applied paint and foam insulated to minimum R-12 with thermal seals between pinch-resistant panels. Windows in top panel are ½-inch insulated glass. Hardware includes galvanized steel hinges and ball-bearing urethane rollers. Lifetime warranty.

GRAND ENTRANCE (FIBERGLASS)

Remove existing 3-0/6-8 entry door and cut and reframe opening for a 12-36-12 entrance door with dual sidelites. Move double-gang electrical box with two switches. Fiberglass door blank matches upscale entry, including color, threshold, lockset, and decorative halfglass; sidelites match door. PVC-wrapped exterior trim in color to match existing trim; wider interior colonial or ranch casings (3.5-inch to cover new jack studs) in hardwood stained to match door. All work to be completed in one day.

MAJOR KITCHEN REMODEL

Update outmoded 200-square-foot kitchen with 30 linear feet of top-of-the-line custom cherry cabinets with built-in sliding shelves and other interior accessories. Include stone countertops with imported ceramic- or glasstile backsplash; built-in refrigerator, cooktop, and 36-inch commercial grade range and vent hood; built-in warming drawer, trash compactor, and built-in combination microwave and convection oven. Install high-end undermount sink with designer

faucets and built-in water filtration system. Add new general and task lighting including low-voltage undercabinet lights. Install cork flooring, cherry trim.

MASTER SUITE ADDITION

Add a 32-by-20-foot master bedroom suite over a crawlspace.

Bedroom: Add a spacious sleeping area with lounging/sitting area adjacent to large master bathroom. Include custom bookcases and built-in storage with millwork details; high-end gas fireplace with stone hearth and custom mantle; and large walk-in closet/ dressing area with natural light, mirrors, and linen storage. Add French doors to exterior. Bathroom: Include a large walk-in shower with dual-shower system, stone shower walls and floor, and custom frameless glass enclosure. Add corner-design whirlpool tub bordered on two sides by windows and built into granite or marble platform with custom cabinet front. Include two sinks in separate custom vanities with stone countertops and large mirrors. Create partitioned area for luxury one-piece toilet.

General: Add 5-foot-long hospitality center with bar sink, undercounter refrigerator, custom cabinetry, granite or marble countertop, and microwave. Include soundproofing, in-floor heating, custom wall finishes and hardware, general and spot lighting, and lighting controls.

ROOFING REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of standing-seam metal, formed on site into 16-inch panels using factory-enameled roll steel; double-lock all seams. Use custom brake-bent flashing from same material for drip edge and all flashing at roof-wall intersections. Assume a 5-square hip roof; custom flashing at two average-sized skylights; and custom cap treatment at vented ridge. Apply over new felt underlayment; use ice-and-water membrane at eaves, valleys, and all penetrations.



Project Descriptions continued

SIDING REPLACEMENT (FIBER-CEMENT)

Replace 1,250 square feet of existing siding with new fiber-cement siding, factory primed and factory painted. Include all 4/4 and 5/4 trim using either fiber-cement boards or cellular PVC.

SIDING REPLACEMENT (FOAM-BACKED VINYL)

Replace 1,250 square feet of existing

siding with new foam-backed vinyl siding, including factory trim at all openings and corners.

WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite vinyl windows. Simulated woodgrain interior finish; custom-color exterior finish. Trim exterior to match existing; do not disturb existing interior trim.

WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite wood windows. Interior finish of stained hardwood; exterior finish of custom-color aluminum cladding. Trim exterior to match existing; do not disturb existing interior trim.

Reuse and Licensing of Data

COPYRIGHTED MATERIAL

The Remodeling Cost vs. Value Report contains copyrighted material that is being made available in free downloadable PDF documents as a public service. Any reuse without express permission is prohibited, including but not limited to the following:

- 1. RESALE. The Cost vs. Value Report, whether in whole or part, may not be reproduced and sold in any format, including print, digital, electronic file, fax, or other medium.
- 2. PUBLICATION OF DATA. The Cost vs. Value Report, whether in whole or part, may not be distributed or published in any format, including print, digital, electronic file, fax, or other medium without obtaining express permission.
- 3. APPLICATIONS/SOFTWARE. The Cost vs. Value Report, whether in whole or part, may not be incorporated for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software except as licensed by Hanley Wood (see Licensing, below).

EXCERPTING COST VS. VALUE REPORT DATA

Excerpts of Cost vs. Value Report data may not take the form of a chart or table that simulates the manner in which the data is displayed at www.costvsvalue.com.

Excerpts of Cost vs. Value Report data may, however, be made as part of a narrative, provided that the sum total of all excerpts from any publisher in all formats does not exceed data from more than five projects.

CITATION GUIDELINES

When excerpting Cost vs. Value Report data, refer to the "Remodeling 2011-12 Cost vs. Value Report" and include the URL www. costvsvalue.com, as in the following examples:

- "... according to the Remodeling 2011–12 Cost vs. Value Report (www.costvsvalue.com) ..."
- "... as compiled in the Remodeling 2011–12 Cost vs. Value Report (www.costvsvalue.com)"

This form of citation should be used in the first instance on every page of a multipage online story that cites the Cost vs. Value Report on multiple pages. Subsequent references on a given page may be foreshortened to "Cost vs. Value Report."

All excerpts must be accompanied by one or more instances of the following acknowledgements of copyright:

"© 2011 Hanley Wood, LLC. Complete data from the Remodeling 2011–12 Cost vs. Value Report can be downloaded free at www. costvsvalue.com."


LICENSING OF 2011-12 COST VS. VALUE REPORT DATA

For permission to license data from the 2011–12 Cost vs. Value Report for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software, send a request via e-mail to **costvsvaluepermissions@hanleywood.com**, and include the following:

- a description of the application, calculator, or device for which use of the data is being requested. Include the length of time for which the license is sought.
- a detailed description of the material to be licensed (e.g., specific projects, cities, etc.).

Note: Licensing is not the same as excerpting. Guidelines for excerpting data form the Cost vs. Value Report appear above. Customizable color reprints are available for purchase online at www.costvsvalue.com/reprints





The 2011–12 Remodeling Cost vs. Value Report has been brought to you thanks to the following companies.















KitchenAid





Let us *orchestrate* your dream.

For the perfect products for your kitchen or bath, stop by a Ferguson showroom. It's where you'll find the largest range of quality brands, a symphony of ideas, and trained consultants to help orchestrate your dream. With showrooms from coast to coast, come see why Ferguson is recommended by professional contractors and designers everywhere.

#FERGUSON® Bath, Kitchen & Lighting Gallery













FIXTURES

LIGHTING

Find a location near you at FERGUSON.COM



Get the purchasing power you need

GE Capital provides affordable financing for just about anything in, on or around the home.

Get access to special financing offers* to help manage your home improvement budget through a GE-approved contractor.

Visit www.gogecapital.com and click on the Business Locator to find a contractor in your area.


Let us help make your dreams a reality!

*Subject to credit approval.



gogecapital.com

VISUALIZE YOUR DREAM HOME Siding + Trim + Soffit + Fascia + Custom Color Palette = infinite possibilities





Your home is the most important place on earth. So don't let anything compromise it. Ask for James Hardie® siding. Unlike vinyl siding, it gives a home the character and beauty of wood, while resisting rotting and cracking.






The BEST selection of Hardwood Flooring

- Mill-direct buying power
- Exotic & domestic hardwood
- · Bamboo, cork and laminate
- First quality, full warranty flooring brands
- 340+ varieties available
- Over 250 stores nationwide



For a FREE catalog or a store near you call 1-800-HARDW00D or go to lumberliquidators.com.

If you could design your dream window, what would it be?



Create windows and doors uniquely your own. Whether remodeling, replacing or building new. Get inspired by the myMarvin Project artists, the latest home design trends, or all the new products at myMarvin.com





Built around you."



The **Bostitch® Twin Blade Utility Knife** allows you to alternate between different applications without having to stop and change blades. Simply retract one blade and extend the other to toggle between a hooked blade and standard blade in just seconds. Think of all that time you save.



Cut your downtime to a minimum...put **Bostitch**® cutting edge technology to work for you.

© 2010 Stanley Black & Decker, Inc.

STERLING makes the dream bathroom a reality, today.



Affordable remodeling made easy.

When it comes to remodeling the bathroom, customers are looking for stylish designs and durable products that are easy on their wallets. STERLING® products deliver efficiency, durability and affordability—all in timeless designs. Take our high-efficiency toilets which meet the toughest water conservation standards. And our multi-piece bath/showers and showers, made of solid Vikrell® material, are quick to install and easy to clean.

Check out our full product line by visiting **SterlingPlumbing.com**. You'll be sure to find the quality you're after with the lasting beauty your customers demand.







Always Make A GREAT ENTRANCE

Fiber-Classic®

Mahogany Collection_™

Get the look and feel of rich Mahogany wood without compromising on performance.

Therma-Tru's Fiber-Classic Mahogany Collection also:

- Offers a range of styles, sizes and decorative glass options
- Delivers a better long-term return on investment than either wood or steel through proven features that provide improved security, longer lasting performance, lower maintenance and a look that will last
- Carries a full system, limited lifetime, warranty



